

DISC FINISHING MACHINES

EC series (table-top)



DISC FINISHING MACHINE **EC6**

Technical Data:

- supply: 230 V; 50 Hz
- power: 0,3 kW
- dimensions: 525x486x702 mm (WxDxH)
- weight: 33 kg
- working bowl capacity: 6 l.
- working bowl inside diameter : 210 mm

DISC FINISHING MACHINE **EC10**

Technical Data:

- supply: 230 V; 50 Hz
- power: 0,4 kW
- dimensions: 420x520x895 mm (WxDxH)
- weight: 51 kg
- working bowl capacity: 10 l.
- working bowl inside diameter : 265 mm



DISC FINISHING MACHINE **EC18**

Technical Data:

- supply: 230 V; 50 Hz
- power: 0,65 kW
- dimensions: 493x606x1024 mm (WxDxH)
- weight: 66 kg
- working bowl capacity: 18 l.
- working bowl inside diameter : 320mm



DISC FINISHING MACHINES

TE series (stand-alone)



DISC FINISHING MACHINE **TE18**

Technical Data:

- supply: 230 V; 50 Hz
- power: 0,8 kW
- weight: 124 kg
- dimensions: 460x910x1800 (WxDxH)
- working bowl capacity: 18 l.
- working bowl inside diameter: 320 mm



DISC FINISHING MACHINE **TE10x2**

Technical Data:

- supply: 230 V; 50 Hz
- power: 1,2 kW
- weight: 184 kg
- dimensions: 920x910x1800 mm (WxDxH)
- working bowl capacity: 2x10 l.
- working bowl inside diameter: 2x265 mm



DISC FINISHING MACHINE **TE30**

Technical Data:

supply: 230 V; 50 Hz
 power: 1,5 kW
 weight: 168 kg
 dimensions: 500x1040x1800 mm (WxDxH)
 working bowl capacity: 30 l.
 working bowl inside diameter: 400 mm



DISC FINISHING MACHINE **TE60**

Technical Data:

supply: 3x400 V; 50 Hz
 power: 4,0 kW
 weight: 365 kg
 dimensions: 1270x1160x1690 mm (WxDxH)
 working bowl capacity: 60 l.
 working bowl inside diameter: 525 mm



other versions

MACHINE	CAPACITY	MAX LOAD OF WORKPIECES	BOWL DIAMETER	DIMENSIONS	WEIGHT	POWER	SUPPLY	NOISE LEVEL
TE10	10 L	1 kg	265 mm	460x910x1800 mm	101 kg	0,6 kW	230 V	60-65 dB
TE10x3	3x10 L	3x1 kg	3x265 mm	1350x910x1800 mm	274 kg	1,8 kW	230 V	75-80 dB
TE18x2	2x18 L	2x2 kg	2x320 mm	890x910x1800 mm	235 kg	1,2 kW	230 V	75-80 dB
TE18x3	3x18 L	3x2 kg	3x320 mm	1350x910x1800 mm	340 kg	1,8 kW	230 V	75-80 dB